A B.	MENDMENT OF SOLICITAT	TION/MODIFICATION OF C	ONTRACT	1. CONTRACT ID CO	DE Page of Pages			
AIV	MENDIMENT OF SOLICITA	TION/MODIFICATION OF C	ONTRACT		1 10			
2. AMEN	IDMENT /MODIFICATION NO. 002	3. EFFECTIVE DATE April 05, 2001	4. REQUISITION/	PURCHASE REQ. NO.	5. PROJECT NO. (If applicable)			
6. ISSUE	ED BY CO	DE LC-3110	7. ADMINISTERE	D BY (If other than Item 6)	CODE			
Lower P.O. B	u of Reclamation <u>http</u> Colorado Region ox 61470 er City NV 89006-1470	o://www.lc.usbr.gov/~g3100/						
	AND ADDRESS OF CONTRACTOR	(No., street, county, State, and ZIP code)		(T) 9A. AMENDM	IENT OF SOLICITATION NO.			
				_	01-SP-30-0020			
				T 9B. DATED (S	•			
					March 12, 2001			
				10A. MODIFIC	CATION OF CONTRACT/ORDER NO.			
CODE	FACILITY	′ CODE		10B. DATED	(SEE ITEM 13)			
	•	HIS ITEM ONLY APPLIES TO	AMENDMENTS	OF SOLICITATION	S			
[X] The a	above numbered solicitation is amende	ed as set forth in Item 14. The hour and	I date specified for re	ceipt of Offers [X] is ext	ended, [] is not extended.			
(a) By co separate RECEI' IN REJ provided	mpleting Items 8 and 15, and returnin letter or telegram which includes a ref VED AT THE PLACE DESIGNA ECTION OF YOUR OFFER. If b each telegram or letter makes referen	erence to the solicitation and amendment of the STED FOR THE RECEIPT OF Constitution of this amendment you desire to the solicitation and this amendment	cknowledging receip ent numbers. FAILU DFFERS PRIOR To to change an offer alr	t of this amendment on e IRE OF YOUR ACKN FO THE HOUR AND eady submitted, such cha	each copy of the offer submitted; or (c) By NOWLEDGMENT TO BE DATE SPECIFIED MAY RESULT ange may be made by telegram or letter,			
12. ACC	OUNTING AND APPROPRIATION D	ATA (if required)						
		TEM APPLIES ONLY TO MOD			· · · · · · · · · · · · · · · · · · ·			
(T)	- 1	DIFIES THE CONTRACT/ORE ED PURSUANT TO: (Specify authority) T			E MADE IN THE CONTRACT/ORDER			
		RACT/ORDER IS MODIFIED TO REI		STRATIVE CHANGES (such as changes in paying office, appropriation			
	C. THIS SUPPLEMENTAL AGREE	MENT IS ENTERED INTO PURSUAN	T TO AUTHORITY (OF:				
	D. OTHER (Specify type of modification a	nd authority)						
E. IMPO	PRTANT: Contractor [] is not []	is required to sign and return	copies to	the issuing office.				
		DIFICATION (Organized by UCF section he	eadings, including solicita	ation/contract subject matter v	where feasible)			
Project	Title: Painting Regulating Gates,	Parker Dam, Parker - Davis Project	ct, Arizona - Califo	rnia				
clarifica	tion in response to questions su	this amendment is to (1) extend to mitted by a prospective offeror; a	and (3) make corre	ctions to pages numb	•			
remains	2 p.m., local time, at the Bureau		Regional Office, An	nex Building, Room A	AA-113, Nevada Highway and Park			
		garding how to acknowledge this k 8 of the "Solicitation, Offer, and			st be received at the place			
		ove if you have submitted your pro	•	•				
	provided herein, all terms and conditions of the ME AND TITLE OF SIGNER (Type or p	e document referenced in Item 9A or 10A, as			rce and effect. NG OFFICER (Type or print)			
IJA. NA	INIT VIAD THEE OF SIGNEY (TYDE OLD	iiit)	TOA. INAIVIE AND	TITLE OF CONTRACTION	TO OF FIGURE (Type or print)			
15B. CO	NTRACTOR/OFFEROR	15C. DATE SIGNED	16B. UNITED STA	TATES OF AMERICA 16C. DATE SIG				

BY.

(Signature of Contracting Officer)

Description of the Changes:

- 1. In Section A, page A-1, Item No. 13A. ADDITIONAL SOLICITATION REQUIREMENTS, the date for receipt of offers has been changed from April 12, 2001 to April 17, 2001. The time and place for receipt of offers remain the same.
- 2. In Section C, pages C-41 and C-64 are revised to remove language that suggests the requirements are calling for surface preparation and coating be limited to spot treatment of areas and by this amendment any preconception thereof. The requirements actually intended, in part, are that **all** existing coatings shall be removed, **all** surfaces shall be prepared and **all** surfaces shall be coated.
- 3. In Section H, Amendment No. 001 pages H-5 and H-6 are revised to reflect the correct page numbers, H.3 and H.4.

Instructions:

<u>Remove</u>	Replace with Revised				
Amendment No. 001 pages A-1 & A-2	Amendment No. 002 pages A-1 & A-2				
C-41 & C-42	C-41 & C-42				
C-63 & C-64	C-63 & C-64				
Amendment No. 001 pages H-5 & H-6	Amendment No. 002 pages H-3 & H-4				

SECTION A - SOLICITATION, OFFER, AND AWARD (Standard Form 1442)

							سحب		
SOLICITATION, OFFER,	1. SOLICITATION NO.	. 2	2. TYPE	OF S	SOLICITATION	3. DATE ISSUED	PAGE	OF PAGES	
AND AWARD	04 05 00 000	_		SEA	ALED BID (IFB)	00/40/0004	40	004	
(Construction, Alteration, or Repair)	01-SP-30-002	o	Т	NEC	GOTIATED (RFP)	03/12/2001	13	264	
IMPORTANT - The "offer" section on the reverse must be fully com	nleted by offeror		1 -		,	<u> </u>			
4. CONTRACT NO.	5. REQUISITION/PUR	CHASE	REQUE	FST N	NO 6 PR	OJECT NO.			
4. CONTINUE NO.	O. REGOIOTHORN OR	OI II (OL	INE QUI	_0	1 0. 1 K	00201110.			
7. ISSUED BY CODE	LC-3114	8 IF M	All FD F	3Y U.	S. POSTAL SERV	ICE (USPS), ADDR	ESS OFFI	FR TO	
Bureau of Reclamation	200	1			mation	.02 (00. 0), 7.22.			
Lower Colorado Region						IF	OFFER MAII	I ED BV	
P.O. Box 61470		P.O. Boy 61470 (Attn: I C-3114) OTHER THAN					IER THAN US	SPS, SEE	
Boulder City NV 89006-1470		MAILING IN					LING INSTRU IN ITEM 1		
Boulder Oily IVV 03000-1470		Bould	iei Oit	y 14 v	03000-1470			0.	
9. FOR INFORMATION A. NAME		l li	3. TELE	PHO	NE NO. (NO COLL	ECT CALLS)			
5 5	y Gossett		02) 293-8653						
	SOLICITA	ATION			ν-	,			
NOTE: In sealed bid solicitations "offer" and "offeror" mean "bid" a		******							
10. THE GOVERNMENT REQUIRES PERFORMANCE OF THE		N THESI	E DOCL	JMEN	ITS:				
01-SP-30-0020-Painting Regulating Gate	s Parker Dam	_Parl	ker -	Dav	is Project	Arizona– Ca	lifornis	4	
or or oo oozo ramming regularing out	o, ranto bani				, io i iojooi,	/ I = 0 O u		•	
Offers will be received by the Bureau of Reclamatic	on at the Lower Co	lorado	Regi	onal	Office Anney	Building Roon	ο ΔΔ-10/	l Nevada	
Highway & Park Street, Boulder City, Nevada.	on at the Lower Co	iorauc	ricgi	Onai	Office, Affice	Building, Room	1 77-10-	, itevada	
riigiiway a raik olicci, boulder oliy, Nevada.									
Express-mailed offers should be addressed to the	Rureau of Reclams	ation	l ower	Col	orado Regiona	al Office Attenti	on- I C-S	2111	
400 Railroad Avenue, Boulder City, Nevada 89005.									
prior to the date offers are due and addressed as in				naie	S FUSIAI SEIVII	Le Silouiu de illa	illeu at it	sasi 5 uays	
prior to the date offers are due and addressed as in	idicated in item o	above.	1						
Hand-carried offers should be delivered to the Bure	nau of Poolamatio	n Low	or Col	lorac	do Pogional Of	ifico Novada Hi	ahway a	nd Dark	
		ii, LOW	er Coi	orac	ao Regional Oi	nice, Nevaua ni	Jiiway a	nu Park	
Street, Annex Building, Room AA-113, Boulder City	, Nevaua.								
Estimated Cost Range of this Project: \$500,001 to	¢1М								
Estimated Cost Nange of this Project. \$500,001 to	Φ 1 141								
THIS SOLICITATION IS UNRESTRICTED.									
I NIS SOLICITATION IS UNKESTRICTED.									
11. The Contractor shall begin performance within 15 calend	dar days and complete i	t within	540	cale	ndar days after rec	eivina			
award, T notice to proceed. This performance p	•		mandat	_		(See Paragraph F.2	<i>)</i>		
awara, Indice to proceed. This performance p	Jenou 13		manaat	Oly,	negotiable:	(Occ r dragraph r .z	.)		
12A. THE CONTRACTOR MUST FURNISH ANY REQUIRED PE		YMENT	BOND	S?		12B. CALE	NDAR DA	YS	
(If "YES," indicate within how many calendar days after award	in Item 12B.)								
T YES NO							15		
13. ADDITIONAL SOLICITATION REQUIREMENTS:									
A. Sealed offers in original and 4 copies to perform the work required are due at the place specified in Item 8 by 2:00 pm local time 04/12/2001 04/17/2001.									
If this is a sealed bid solicitation, offers must be publicly opened Sealed envelopes containing offers shall be marked to show the		ress the	solicita	tion n	umber and the da	te and time offers are	due		
coaled enveloped containing energy than so marked to show the	onoror o marrio ana adai	000, 1110	Conona		arribor, arra tiro da	to and time onero an	, aao.		
B. An offer guarantee is, T is not required.									
									
C. All offers are subject to the (1) work requirements, and (2) other	provisions and clauses	incorpo	rated in	the so	olicitation in full text	t or by reference.			
D. Offers providing loss than 60 calendar days for Courses and	accontance offer the det	o offers	oro due	م النبيد	ot ha aanaidarad =:	ad will be rejected			
D. Offers providing less than 60 calendar days for Government a	acceptance after the dat	e oners a	are due	WIII I)	or he considered at	na wiii be rejected.			

STANDARD FORM 1442 BACK (REV. 4-85)

	OF	FER (N	lust be full	y con	nplet	ed by of	fferor)					
14. NAME AND ADDRESS OF OFFEROR (Include ZIP Code)				15. TELEPHONE NO. (Include area code)								
					16. REMITTANCE ADDRESS (Include only if different than Item 14)							
DUNS No.:												
CODE	FACILITY CODE											
17. The offeror agrees to perform the Government in writing within	calendar da	ys after th	ne date offers a	re due.	. (Inse	rt any num	e with the te ober equal to	erms of this o or greater	s solicitation than the m	on, if this offer ninimum require	is accep ment sta	oted by the ated in Item
AMOUNTS <	PRICE SCHEDULE											
18. The offeror agrees to furnish any require	ed performance and	payment	bonds.									
		-	WLEDGEN		_		_	-166)				
AMENIDAGNITAG	(The offeror acknowl	eages rece	ipt of amenamer	ts to the	SOLICITA	ation give i	number and d	ate of each)				
AMENDMENT NO.				-								
DATE 20A. NAME AND TITLE OF PERSON AU	THORIZED TO OLO	NOFFER	\	000	0101	NATURE				0/	0.055	ER DATE
		*** D.D. /	T- 1		-1.1	0						
04 JTEMO A 00EDTED	AV	WARD (To be com	piete	d by	Governi	ment)					
21. ITEMS ACCEPTED:												
22. AMOUNT			23. ACC	OUNTI	ING A	ND APPR	OPRIATIO	N DATA				
24. SUBMIT INVOICES TO ADDRESS SI	HOWN IN	ار	TEM	25. (OTHE	R THAN F	ULL AND (DPEN CON	MPETITION	N PURSUANT	ТО	
(4 copies unless otherwise specified)			10 U.S.C. 2304(c)() 41 U.S.C. 253(c) (5)									
26. ADMINISTERED BY	CODE	LC	-3130	-			BE MADE	BY		CODE	D-7	734
U.S. Department of the Interior Bureau of Reclamation					U.S. Department of the Interior Bureau of Reclamation							
Lower Colorado Regional Office				Recl	Reclamation Service Center							
P.O. Box 61470 Boulder City, Nevada 89006-1470					. Box 2 ver C0	2705 D 80235-0	045					
	NTRACTING OF	FICER	WILL COM	_				APPLICA	ABLE			
T 28. NEGOTIATED AGREE	MENT (Contractor is re	equired to si	gn this			29. AWA	ARD (Contrac	tor is not requ	uired to sign	this document.)		
document and return 1 copy to issuing of or perform all work requirements identificantideration stated in this contract. The reperson be governed by (a) this contract award, (be certifications, and specifications incorport	ied on this form and angights and obligations of the object of the solicitation, and (c)	y continuat ne parties to the clauses	ion sheets for the this contract share, representation	e II	contra	ct, which cor		e Governmen	t solicitation a	tems listed. This a and your offer, and		
30A. NAME AND TITLE OF CONTRACTO (Type or print)				31A.	. NAM	E OF CON	NTRACTING	G OFFICEI	R (Type or p	rint)		
30B. SIGNATURE			BOC. DATE	31B.	. UNIT	ED STAT	ES OF AMI	ERICA				AWARD DATE
				BY								

- (b) Non-specified surface profile.--Where the surface profile is not specified, the blasted surface shall have the following profile for the listed service environments:
 - (aa) Atmospheric.--1 mil or greater angular profile and shall be less than the specified millage of the first applied coat.
 - (bb) Burial and immersion.--Angular profile between 1.5 to 3-mils.
- (c) Testing of surface profile.--Prior to coating application, the surface profile of abrasive blasted steel surfaces shall be measured for compliance to manufacturer's instructions or these specifications in accordance with ASTM D 4417; except that only Method C will be allowed, and Precision and Basis will not be required.
- (2) Metalwork and equipment, except spot repair coatings on existing metalwork and equipment and Government furnished metalwork and equipment.--Surface preparation shall be in accordance with these specifications and as indicated in the coating tabulation. Any coatings not required by and not shown in the coating tabulation shall be removed from the surfaces by suitable and effective means, unless otherwise directed. All surfaces not specifically covered shall be prepared by methods common to industry practices for the particular surface.
- (a) Surface irregularities.--Weld spatter, slag burrs, porosity, sharp edges, pits, laminations, crevices, or other objectionable surface shall be removed or repaired before cleaning.
- (b) Specific surface preparation.--Following removal or repair of surface irregularities, specific surface preparation shall be by one of the following methods, as specified for each item in the coating tabulation:

Method A.--"Solvent Cleaning"; NOT APPLICABLE FOR THIS PROJECT.

Method B.--"Commercial Blast Cleaning," "Brush-Off Blast Cleaning," NOT APPLICABLE FOR THIS PROJECT.

Method C.--Existing metal surfaces which are rusted or which have deteriorated or disbonded coatings shall be media-blasted to bare metal using blasting equipment in accordance with "Near-White Blast Cleaning," SSPC-SP10.

As an option, the existing metal surfaces which are rusted or which have deteriorated or disbonded coatings shall be ultrahigh pressure water jetted to bare metal using water jetting equipment in accordance with "Surface Preparation and Cleaning of Steel and Other Hard Surfaces by High- and Ultrahigh Water Jetting Prior to Recoating," SSPC-SP12.

In isolated situations where abrasive blasting is impractical due to access, the Contractor shall clean the metal surface to equal or exceed SSPC-SP11, "Power Tool Cleaning to Bare Metal".

To minimize the generation of contaminated blast media, the use of various additives to the blast media, chemical agents, solvents, or paint strippers that reduce or eliminate the volume and weight of hazardous waste materials shall be required. In lieu of additives, chemical agents, solvents, or paint strippers, the Contractor may elect to use media-blasting equipment which is equipped with a system that collects and separates the debris of the lead based paints and primers which are being removed.

All media-blasting for complete removal of lead based paints shall be performed in full containment conditions with air monitoring and air purification filters to remove all airborne particulates.

If rust forms or the surfaces become otherwise contaminated in the interval between cleaning and coating, or between coats, recleaning shall be performed by the Contractor.

The surface preparation tools and media used to prepare the surfaces shall retain or produce a surface profile. Use of SSPC-VIS3 standard, SP3/PWB will be prohibited.

f. Application.--

(1) General material preparation and application.--Materials shall be thoroughly mixed at the time of application, and shall be clean and free from moisture.

All Contractor-applied coatings exposed to public view shall display a uniform texture and color-matched appearance.

Thinning of coatings to facilitate satisfactory application shall be kept to a minimum shall not exceed 1 pint per gallon. Only manufacturer's approved thinners for the type of coating shall be used.

- (2) Suspension of coating operations due to weather.--Coating application shall be suspended when weather conditions are unfavorable for coating application and proper cure. Conditions shall be based on the more restrictive requirement of either the manufacturer's recommendations or these specifications.
- (3) Environmental temperatures and humidities.--The application and curing of individual coating systems shall be restricted within the maximum and minimum specified temperatures and relative humidities applicable to that coating system. The temperature and humidity limits shall be as defined on the coating category sheets or the manufacturer's product data sheets, whichever is more restrictive. Temperature and humidity restrictions are listed in Table 8-1 (Temperature and Humidity

Category IE-1DT

Flexibility: (ASTM D 522, 180 passes

degree bend over 1-inch mandrel)

Pencil hardness: (ASTM D 3363) 2B, minimum

Pulloff Adhesion: (ASTM D 4541) greater than 500 psi

(Elcometer)

Tape adhesion: (ASTM D 3359) equal to or better than 4A

Cathodic disbondment: Has passed a recognized standard cathodic

disbondment test, when applied over the specified

epoxy base coat.

This is the weathering topcoat for Category IE-1D, IE-1F, and IE-1J, if one is specified.

C.8.3 Color Schedule for Coatings

The Contractor shall obtain an accurate match of color and gloss for all coated surfaces. The downstream face is clearly visible to the general public. Every effort should be made to make the transition from newly painted areas to existing painted surfaces as minimal as possible.

Gloss abbreviations:

G - Full Gloss

SG - Semigloss

L - Lusterless

F - Flat

Numbers listed in the "Tabulation No." column of the color schedule refer to corresponding item numbers to be coated in the tabulations.

Color Schedule

Tabulation No.	Item Surface	Color	Gloss
21	Upstream face of the 5 regulating gates on Parker Dam.	Black or Gray	L or F
21	Downstream face of the 5 regulating gates on Parker Dam.	To be selected from mfg. color table.	L or F

C.8.4 Payment

Payment for surface preparation and furnishing and applying protective coatings for all surfaces of the regulating gates will be made at the unit price bid therefor in the schedule, which prices shall include the cost of all labor, equipment, and materials. Surface preparation shall include removing existing coating materials to bare metal, rust, dirt, scum, oily substances, or any other contamination from the regulating gates.

Payment for surface preparation and furnishing and applying protective coating on steel guides, seal plates, and roller plates embedded in concrete surfaces will be made at the unit price bid therefor in the schedule, which prices shall include the cost of all labor, equipment, and materials. Surface preparation shall include removing existing coating materials to bare metal, rust, dirt, scum, oily substances, or any other contamination from the embedded steel guides, seal plates, and roller plates.

Amendment No. 002 to Solicitation No. 01-SP-30-0020

- (e) In addition to any other provisions in the contract, the Contractor shall comply with all safety and material data submittal requirements contained in the RSHS manual and revisions thereto.
- (f) The Contractor shall maintain an accurate record of, and shall report to the Contracting Officer (or authorized representative) in the manner prescribed by the Contracting Officer, all cases of death, occupational diseases, or traumatic injury to employees or the public involved, and property damage in excess of \$2,500 occurring during performance of work under this contract.
- (g) The rights and remedies of the Government provided in this clause are in addition to any other rights and remedies provided by law or under this contract.
- (h) In the event there is a conflict between the requirements contained in any of the safety documents referenced herein, the more stringent requirements shall prevail.
- H.3 WBR 1452.223-900 Safety Data Submittal Requirements--Bureau of Reclamation--Lower Colorado Region (Nov 1996)
- (a) Within 20 calendar days from the date it receives notice of award, the Contractor shall submit the following safety data to the Contracting Officer:
- (1) The Contractor's current overall Experience Modification Rate (EMR) for Workers' Compensation Insurance applicable to the type of work to be performed under the contract (e.g., tunneling, concrete dams, canals) and to the State in which the work is to be performed. In any instance where the State establishes mandatory Workers' Compensation Insurance rates that are applicable to work to be performed under the contract within that State, those rates shall be submitted in lieu of the Contractor's current overall EMR;
- (2) A copy of each Log and Summary of Occupational Injuries and Illnesses (Department of Labor Form OSHA-200), or its equivalent, completed by the Contractor during the 3 calendar years immediately preceding the calendar year in which it receives notice of award; and
- (3) The Contractor's death and lost workday severity incidence rate for each of the 3 calendar years immediately preceding the calendar year in which it receives notice of award.
- (b) The Contractor shall report any change in its overall EMR for Workers' Compensation Insurance (or to the mandatory State Workers' Compensation Insurance rates, where applicable) to the Contracting Officer within 15 calendar days from the date it receives notice of such change from its insurance carrier or the State Workers' Compensation Fund.
- (c) The Contractor shall complete a Department of Labor Form OSHA-200, or its equivalent, for the calendar year in which it receives notice of award and each calendar year thereafter, and submit it to the Contracting Officer by February 15 of the following calendar year.

Amendment No. 002 to April 05, 2001 Solicitation No. 01-SP-30-0020 Page 10 of 10

(d) The Contractor shall calculate its death and lost workday severity incidence rate for the calendar year in which it receives notice of award and each calendar year thereafter, and submit it to the Contracting Officer by February 15 of the following calendar year.

- H.4 WBR 1452.232-81 Payment for Mobilization and Preparatory Work–Bureau of Reclamation (May 2000)
- (a) General. Payment for the Mobilization and Preparatory Work line item of the schedule will be made as reflected herein. To the extent that this line item exceeds the percentage of total contract pricing as estimated by the Contracting Officer in WBR 1452.236-85, Instruction for Mobilization and Preparatory Work Schedule Line Item, payment will be made as reflected in Section (d)(5) below. Reclamation will make payment to the Contractor in accordance with this clause for operations including, but not limited to, those necessary for
 - (1) Movement of personnel, equipment, supplies, and incidentals to the project site:
- (2) The establishment of offices, buildings, plants and other facilities, at the site (excludes temporary buildings (e.g. storage sheds, shops, offices) and utilities listed in the Operations and Storage Areas clause of this contract);
 - (3) Payment of premiums for project bonds and insurance; and
- (4) Other work and operations which must be performed or costs incurred incident to the initiation of meaningful work at the site and for which the contract does not otherwise provide for payment.
- (b) Facilities and equipment covered by mobilization work.
- (1) All facilities, plant, and equipment which are established at, or brought to, the site shall be deemed to be subject to the provisions of this paragraph unless the Contracting Officer specifically provides other written authorization for a particular item or items.
- (2) The Contractor shall be solely responsible for the adequacy, efficiency, use, protection, maintenance, repair, and preservation of all facilities, plant, and equipment on site.
- (3) The facilities, plant, and equipment covered by this paragraph shall not be dismantled or removed from the site prior to completion of the work under the contract without the written authorization of the Contracting Officer.
- (c) Termination for default. Should the Contractor be terminated for default as provided by the Default clause of this contract --
- (1) All facilities, plant, and equipment on the site shall be subject to the Government's right to take possession of and utilize such items for the purpose of completing the work;